

Radiators, convectors and ceiling mounted panels, hot water heating, fan assisted and mixed / Radiateurs, convecteurs et panneaux rayonnants de plafond, à eau chaude, ventilés et mixtes

**Range Name / Nom de Gamme :
VENUS**

This document is valid at the date of issue - Check the current validity on:
Document valable à la date d'émission - Vérifier la validité en cours sur :
www.eurovent-certification.com

Participant/Titulaire

**IRSAP S.p.A.
Via delle Industrie, 211
45031 Arquà/Polesine (RO) , Italy**

This certificate is issued by Eurovent Certita Certification according to the certification rules:

NF047 - « Radiators, convectors and ceiling mounted panels, hot water heating, fan assisted and mixed » in force at established date.

Pursuant to the decision notified by Eurovent Certita Certification, the right to use the mark NF shall be granted to the beneficiary company for the above Range in the conditions defined by the certification program mentioned.

Unless withdrawn or suspended, this certificate remains valid as long as the requirements for the certification program framework are met. The validity of the certificate is to be verified on www.eurovent-certification.com

THIS CERTIFICATE HAS BEEN ISSUED ON 22/01/2019
THIS CERTIFICATE IS VALID UNTIL 31/12/2020

Ce certificat est délivré par Eurovent Certita Certification dans les conditions fixées par le référentiel :

NF047 – « Radiateurs, convecteurs et panneaux rayonnants de plafond, à eau chaude, ventilés et mixtes » en vigueur à date d'édition.

En vertu de la décision notifiée par Eurovent Certita Certification, le droit d'usage de la marque NF, est accordé à la société qui en est bénéficiaire pour la gamme visée ci-dessus, dans les conditions définies par le programme de certification mentionné.

Sauf retrait ou suspension, ce certificat demeure valide tant que les conditions du référentiel du programme de certification sont respectées. La validité du certificat est à vérifier sur le site Internet www.eurovent-certification.com

CE CERTIFICAT A ÉTÉ EMIS LE 22/01/2019
CE CERTIFICAT EST VALIDE JUSQU'AU 31/12/2020

Paris, 22 janvier 2019

MANAGING BOARD MEMBER / MEMBRE DIRECTOIRE



Appendix / Annexe

This document is valid at the date of issue - Check the current validity on
Document valable à la date d'émission - Vérifier la validité en cours sur :
www.eurovent-certification.com

List of certified products and characteristics is displayed on
La liste des références et caractéristiques certifiées est disponible sur le site :
www.eurovent-certification.com

This certificate is valid for the following trade names:
Ce certificat est valide pour les marques commerciales suivantes:
[Trade Name / Marque Commerciale](#)

IRSAP

This certificate is valid for the following manufacturing places:
Ce certificat est valide pour les sites de production suivants:
[Manufacturing Place / Site de Production](#)

CLUJ, Romania

This certificate is valid for the following software:
Ce certificat est valide pour les logiciels de sélection suivants:
[Software / Logiciel de sélection](#)

Not applicable for this certification programme / Non applicable pour ce programme de certification



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 1720x740

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.21	
Heat output ($\Delta T50$) (without grill and side panels)	1166.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	1720	mm
Lenght (overall)	740	mm
Distance between connection (variable)	710	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	10.70	l
Weight	20.30	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 1720x595

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.21	
Heat output ($\Delta T50$) (without grill and side panels)	957.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	1720	mm
Lenght (overall)	595	mm
Distance between connection (variable)	565	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	9.00	l
Weight	16.90	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 1720x497

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.21	
Heat output ($\Delta T50$) (without grill and side panels)	818.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	1720	mm
Lenght (overall)	497	mm
Distance between connection (variable)	467	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	7.90	l
Weight	14.60	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191620

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 1462x595

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191620

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.22	
Heat output ($\Delta T50$) (without grill and side panels)	793.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	1462	mm
Lenght (overall)	595	mm
Distance between connection (variable)	565	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	7.40	l
Weight	13.90	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191620

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 1462x497

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.23	
Heat output ($\Delta T50$) (without grill and side panels)	676.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	1462	mm
Lenght (overall)	497	mm
Distance between connection (variable)	467	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	6.50	l
Weight	12.10	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 1118x595

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.25	
Heat output ($\Delta T50$) (without grill and side panels)	617.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	1118	mm
Lenght (overall)	595	mm
Distance between connection (variable)	565	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	5.80	l
Weight	11.00	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 1118x497

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.27	
Heat output ($\Delta T50$) (without grill and side panels)	526.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	1118	mm
Lenght (overall)	497	mm
Distance between connection (variable)	467	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	5.10	l
Weight	9.50	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 818x595

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.21	
Heat output ($\Delta T50$) (without grill and side panels)	426.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	818	mm
Lenght (overall)	595	mm
Distance between connection (variable)	565	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	4.10	l
Weight	7.60	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 818x497

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.21	
Heat output ($\Delta T50$) (without grill and side panels)	366.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	818	mm
Lenght (overall)	497	mm
Distance between connection (variable)	467	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	3.60	l
Weight	6.60	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 688x595

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.19	
Heat output ($\Delta T50$) (without grill and side panels)	405.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	688	mm
Lenght (overall)	595	mm
Distance between connection (variable)	565	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	3.70	l
Weight	7.00	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

Product type	Towel Radiator hot water
Brand	IRSAP
Range	VENUS
Product référence	VENUS 688x497

This performance certificate is delivered for the following project:

Project Name	Company	Project reference	Project location
PDF		PDF	IT

FEATURE	VALUE	UNIT
Factory city	CLUJ	
Factory country	Romania	

FEATURE	VALUE	UNIT
PRESSURE		
Pressure Max	8.00	kPa



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
WITHOUT GRILL AND SIDE PANELS		
Exponent (without grill and side panels)	1.19	
Heat output ($\Delta T50$) (without grill and side panels)	349.00	W

FEATURE	VALUE	UNIT
DIMENSION		
Depth (overall)	45	mm
Height (overall)	688	mm
Lenght (overall)	497	mm
Distance between connection (variable)	467	mm

FEATURE	VALUE	UNIT
GENERAL INFORMATIONS		
Type of connection of the model tested	On the bottom	
Water capacity	3.20	l
Weight	6.00	kg



PRODUCT PERFORMANCE RATING

Document ID 052720191619

Issued on 27 May 2019

This product is certified by Eurovent Certita Certification as mentioned on

Certificate N° 18.11.919

This document is valid at the date of issue - **Check the current validity on www.eurovent-certification.com**

FEATURE	VALUE	UNIT
PREVIOUS CERTIFICATE		
Observation (texte)	Raccordement par dessous. Radiateurs cintrés. Profondeur hors tout variable de 46 à 74 mm.	